



The luxuriously appointed Family takes on where the GR Estate leaves off. No other car can offer the large family such capacity and ready adaptability to their many needs.

Its three rows of tweed upholstered seats can seat up to eight people in quiet cushioned comfort and still leave room for 21.9 cu ft of luggage – or space for a large dog. To carry five people the third row of seats is folded down and the luggage room increases to 42 cu ft.

The middle row of seats can be divided so that you can fold down one or two thirds to accommodate long loads or put a carrycot on the floor. The whole seat folds down to open the maximum load capacity.

The centre console ducts warm air to the centre row footwells. Peugeot suspension makes for a very smooth ride and the power assisted steering makes even the fully loaded Family easy to handle under all conditions.

The Family petrol version has the 95 DIN bhp engine and its instrumentation includes an Econoscope. The 2498 cc 75 DIN bhp diesel can achieve the remarkable economy of up to 44.8 mpg at a constant 56 mph.

Whichever version you choose, as executive transport or family express, nothing can touch the Peugeot 505 Estate or Family for comfort, reliability, safety and sheer value for money.



1. STEEL PANELS: All body parts are thoroughly degreased to remove oil deposited during the press operation and to ensure full adhesion of the protective finishes.

Corrosion resistant zinc or galvanised plated panels are used in vulnerable areas or areas that would be difficult to protect after assembly

**2.** PHOSPHATING: This gives protection against impacts and flaking; it also improves the adhesion of the resin film in the cathodic bath. Some box sections are cleaned and phosphated before the body shell is assembled.


3. CATAPHORETIC BATH: This deposits a corrosion-proofing epoxy film 15 to 20 microns thick on the whole body shell. Box sections are pierced to assure the protection of internal surfaces.

4. JOINT SEALING adjacent panels is sealing strips on the

Sealing between assured by mastic inside and out-

5. CRACKLE FINISH ANTI-CHIPPING COMPOUND (PVC): Oven baked, this ensures protection to the parts of the body that are subject to abrasion from road chippings and stones (the coat is

A II Peugeot cars have the benefit of a 6-year anti-corrosion warranty on all body or underbody panels. Every unit is meticulously treated against permanent spread of corrosion by total immersion in an electrophoretic bath. This process makes the body shell particularly resistant to corrosion. But Peugeot does not



stop there. Eight other processes, before and after the electrophoretic bath, add up to 50 lbs of well-established anti-corrosion coatings of proven resistance value.

It adds up to a really positive anti-corrosion programme. To benefit from the warranty involves only two checks on the car, taking about two hours each. These are carried out at the

customer's expense at the end of the 2nd and 4th years of service at a Peugeot dealer. The warranty is transferable on change of ownership.

Further proof that buying Peugeot is a sound and lasting investment.





6. PRIMER: The paint undercoat includes rust-inhibiting pigments (zinc chromate) to further improve the anticorrosion protection. This special, flexible primer also has anti-chipping properties

7. ACRYLIC LACQUER: This thermosetting paint is baked at 130°C, the fast evaporation of the solvents giving a coat with high protective quality.

8. CLEAR VARNISH: Applied on top of metallic and black paints, this gives an increased brilliance and ensures protection of the colour pigment from the corrosive elements.

9. WAX: Pressure box sections, wax

injected into the rotects these inner nts water ingress

10. THICK WAX AND BITUMEN COM-POUND: This is sprayed on to the underside of the body - including the wheel arches and suspension.

## PEUGEOT 505 DURABILITY



## ACTIVE AND PASSIVE SAFETY

Safety, both active and passive, is a key requirement in the original design of all Peugeot models

ACTIVE SAFETY. Active safety is best described as those elements in the vehicle design which help you avoid being involved in an accident, whereas passive safety is the protection you enjoy within the driving compartment.

The 505 range benefits from independent front suspension with coil springs and double acting telescopic hydraulic shock absorbers with an anti-roll



bar. Coil springs and telescopic shock absorbers are also used on the rear. The suspension has been finely tuned to guarantee excellent roadholding

The braking system is equally sophisticated for maximum stopping power. It is a servo-assisted split circuit system with discs on the front and drums on the rear. A rear brake compensator valve on all models ensures automatic adjustment of pressure applied to rear brakes, thus preventing premature wheel locking. There is even a warning light on the fascia which lights up to indicate low brake fluid level or brake pad wear. as well as a separate handbrake warning light

These engineering features contribute to your safety.



PASSIVE SAFETY. Passive safety is that which minimises the consequences of an accident in which you may be involved. On the 505 range the front and rear ends of the body shell are designed to absorb impact through progressive deformation of the structure, with maximum protection of the passenger compartment.

Another aspect is the two spoke safety steering wheel which is mounted on a collapsible energy-absorbing steering column.

Finally, interior appointments are designed in such a way as to eradicate all sharp edges on the fascia panel.

Safety is the key feature.



The state of the s								
SPECIFICATIONS	GL	GLD	GR	FAMILY	FAMILY DIESEL			
ENGINE								
Cubic capacity	1971 cc	2498 cc	1971 cc	1971 cc	2498 cc			
Number of cylinders	4	4	4	4	4			
Bore/stroke (mm)	88×81	94×90	88×81	88×81	94×90			
Maximum power	- 95 DIN bhp	75 DIN bhp	95 DIN bhp	95 DIN bhp	75 DIN bhp			
A design of the second of the	@ 5200 rpm	@ 4500 rpm	@ 5200 rpm	@ 5200 rpm	@ 4500 rpm			
Maximum torque	119 lb ft DIN @ 3000 rpm	111 lb ft DIN @ 2000 rpm	119 lb ft DIN @ 3000 rpm	119 lb ft DIN @ 3000 rpm	111 lb ft DIN @ 2000 rpm			
Carburettor	Twin choke	Diesel injection	Twin choke	Twin choke	Diesel injectio			
Compression ratio	8.8:1	23:1	8.8:1	8.8:1	23:1			
Automatic choke	•		•	•				
Pre-heater	TO DE LA COLOR	•	The State of the	No.	•			
Diagnostic socket	•	•	•	•	•			
TRANSMISSION								
Gearbox: Manual 4-speed synchromesh	•							
Manual 5-speed synchromesh	E STATE OF THE STA	•	•	•	•			
Automatic 3-speed			×	X				
Single dry plate clutch (with manual gearbox)	•	•	•	•	•			
STEERING			Rack and pinion					
Powerassisted		•	•	•	•			
Turning circle (between kerbs)	36ft 5ins (11.1m)	36ft 9ins (11.2m)	36ft 9ins (11.2m)	36ft 9ins (11.2m)	36ft 9ins (11.2i			
SUSPENSION			The same of	The same of				
Front	Independent of	oil springs with anti-	roll bar and double	e-acting hydraulic	shock absorbers			
Rear	Coil springs and double-acting hydraulic shock absorbers.	double-acting shock absorbers. hydraulic shock						
BRAKES		Split circuit	with load comper	nsator valve.	-17975			
Front Disc	•	•	•	•	-			
Rear Drum		•	•	•				
Servo assistance		•	•	•				
ELECTRICAL EQUIPMENT								
3-phase alternator	500W/32A	750W/45 A	500W/32 A	500W/32 A	750W/45 A			
Battery	12V/45 Ah	12V/60 Ah	12V/45 Ah	12V/45 Ah	12V/60 Ah			
	124/13/41	120,00141	1237.57.57	**				
D MENSIONS			102 0 14 00ml	100	The state of the s			
Overall length		-	192.8" (4.90m)	-	-			
Overall width		- C. T	68.1" (1.73m)		1000			
Wheelbase		114.2" (2.90m) 54.3" (1.38m) 28.3" (.72m)						
Load floor length: seats up		54.3" (1.38m) 91.3" (2.32m)						
seats folded Load floor width		ALD TEDELLY	45.3" [1.15m]	1	[2.06m]			
oad compartment height			32.3" (.82m)					
oad floor area: seats up		18.1 sq. ft. (1.68m²) 9.9 sq. ft. (.92m²)						
seats folded		32.6 sq. ft. (3.03m²)	28.5 sq. ft. (2.65m²)					
oad compartment capacity: seats up		39.6 cu. ft. (1112dm²)			21.9 cu. ft. (620dm³)			
seats folded		79.0 cu. ft. (2240dm¹)			67.8 cu. ft. (1920dm²)			
NUMBER OF SEATS		5			8			
Mark Control of the C			The state of the s					
WEIGHTS lbs (kgs)	7000	2002	7000	7000	2170			
erb weight	2800 (1270)	2987 (1355)	2800 (1270)	2880 (1310)	3120 (1415)			
flax. laden weight	4354 (1975)	4486 (2035)	4354 (1975)	4420 (2005)	4629 (2100)			
flax. towing weight (braked trailer)	3307 (1500)	3307 (1500)	3307 (1500)	3307 (1500)	3307 (1500)			
UEL TANK CAPACITY		15.4 gallons (70 litres)						
YRES		10	85/82 SR 14 Radial	Is	ALC: N			
UEL CONSUMPTION		DOMESTIC LINE	E 1 110					
pg (U100 km)	GLMANUAL	GLD	GR FAMILY MANUAL	GR FAMILY AUTO	GLD FAMILY DIESEL			
			THE RESERVE THE PERSON NAMED IN					
onstant speed driving 56 mph (90 kph)	38.2 (7.4)	44.8 (6.3)	40.4 (7.0)	35.3 (80)	44.8 [6.3]			
onstant speed driving 56 mph (90 kph) onstant speed driving 75 mph (120 kph)	38.2 (7.4) 28.5 (9.9)	44.8 (6.3) 32.5 (8.7)	40.4 (7.0)	35.3 (80) 26.9 (10.5)	44.8 (6.3) 32.5 (8.7)			


These figures are the results of approved tests as recorded by the Department of Transport in official fuel economy certificates.

PECIFICATIONS	GL	GLD	GR	FAMILY	FAMILY DIESEL
NSTRUMENTS					
peedometer with odometer		•			
Trip recorder	•	•	•	•	
uelgauge	•	•	•	•	
Water temperature gauge		•		•	•
Rev. counter	1000			•	•
Econoscope					The state of the s
ASCIA WARNING LIGHTS	ARIA DE				
Handbrake					
ow brake fluid level	•	•			
Low oil pressure	•				
Low fuel level					
Battery charge					
Water temperature					
Breakdown/stop (water/oil/brakes)					
Brake pad wear					
Pre-heater				A CONTRACTOR	
Water in diesel fuel					
INTERIOR				1	1
Interior roof lamp/courtesy lamp	•	•			
Front and rear roof lamps/courtesy lamps			•		
Panel light rheostat			•	•	
Illuminated heater controls	•	•	•	•	
Cigar lighter	0.00	•		•	
Four hockey stick armrests	•	•	•	•	
Centre console	•	•	•	•	
Glovebox with lid	•	•	•	•	
Push button radio	•	•			MEGIC
Push button radio/stereo cassette			•		•
Four speakers	The second second				
Digital clock			•		•
Reclining front seats	•	•	•	•	
Fully upholstered front seat head restraints	•	•	•	•	
Fold down rear seat	•	•	•		
Split fold down rear seat				•	
Fold down third row seat				•	•
Zig zag cloth seat trim	•				-
Tweed cloth seat trim				•	
Cloth inserts on door trim pads				•	
Elasticated pockets behind front seats				•	
Tufted interior floor carpet			•	•	
Vinyl load area covering					
Carpet load area covering and side trim					
Load area lamp					
marmined ig into the year					
EXTERIOR		1		-	-
Drivers static door mirror	•	•			
Passengers static door mirror		•			
Drivers remote control door mirror			•		-
Passengers remote control door mirror	NAME OF TAXABLE		•	•	
Halogen headlamps			•		
Load adjustable headlamps (from fascia)	•	•	•		
Reversing lamps		•	•	•	
Rear fog lamps	•		•	•	
Laminated clear windscreen	•	•	BOTTON TO THE		
Tinted glass and laminated windscreen			•		
Intermittent windscreen wipe				•	
Electric windscreen wash				•	
Tailgate wash/wipe					
Electric front windows					
Central locking of doors and fuel filler flap					
Wheel nave plates	•	•			
Full decorative wheel covers			•		_
Protective bodyside mouldings			•	•	
Metallic paint		COLUMN TO SERVICE STATE OF THE PARTY OF THE	×	X	×
Black paint	X	X	X	X	)





Take a test drive at your local Peugeot Talbot Dealer:




Please Note: Every endeavour has been made to ensure that the information Please Note: Every endeavour has been made to ensure that the information contained in this brochure was accurate at the time of going to press. Peugeot Talbot however, reserve the right, while preserving the essential characteristics of the models described and illustrated in this brochure, to introduce at any time modifications, changes of detail, equipment or accessories as may be considered necessary. The brochure will be updated from time to time but in order to avoid any misunderstanding, any person interested in purchasing a vehicle should enquire of an authorised Peugeot Talbot dealer as to whether there have been any material alterations since the date of the issue of this brochure.











In the new GL Estate the 1971 cc twin choke petrol engine with 4-speed synchro gearbox has been increased in power to 95 DIN bhp. It can achiev a maximum speed of around 100 mph.

Using the Econoscope, a continuous light display on the fascia, the careful driver can tell when he is using petrol most effectively. The GL can achieve up to 38 mpg at a constant 56 mph.


The GLD version has the 75 DIN bhp 2498 cc diesel that develops 111 ib torque at 2000 rpm. It has a 5-speed synchro gearbox and power assisted steering. It is possible to achieve up to 44.8 mpg at a constant 56 mph.

Whether you choose petrol or diesel, there is nothing basic about the GUGLD. It can comfortably seat five people and still carry up to 39 cu ft of load. The seats are cloth trimmed, front reclining. There is a cigar lighter, a glove box and a push button radio with twin speakers. The fascia has comprehensive warning lights, instruments and a control for load adjusting the headlamps.

Safety features include laminated windscreen with 2-speed electric washi wipe, dual circuit servo assisted braking, heated rear window and rear foc lamps and reversing lamps.

The GL/GLD gives you a big powerful estate for your money.





The GR has the same 95 DIN bhp petrol engine as the GL but the whole car is equipped to a higher level of luxury and refinement.

Tinted glass all round. Electric front windows. Tailgate wash/wipe. There are protective bodyside mouldings and full wheel covers. Halogen headlamps and central locking of doors and fuel filler flap. The seats are upholstered in tweed cloth and there's tufted carpet right through to the load area.

In addition to the Econoscope the fascia includes a rev counter and a digital clock. There's a push button radio stereo cassette with four speakers.

Extra details include an illuminated ignition keyhole, courtesy lamps front and rear and a lamp in the glovebox. The front doors have bins for maps and both driver and passenger doors feature a remote control rear view mirror.

Lavishly equipped, the GR is a joy to drive and the power assisted steering makes it very easy to manoeuvie in heavy traffic or when parking.

Three speed automatic transmission, black or metallic paints are available as options at extra cost. The GR is the top of the 505 Estates – if you want more then you need a Family.

